Dimensional Chart for Systems: 350, 550 & 650

System	350			550			650		
ltem	350-01	350-02	350-00	550-01	550-02	550-00	650-01	650-02	650-00
Description	Upper Swivel	Furling Drum	Swivel/ Drum/ Line Kit	Upper Swivel	Furling Drum	Swivel/ Drum/ Line Kit	Upper Swivel	Furling Drum	Swivel/ Drum/ Line Kit
Boat Size (Jib)	14'-19' (4.3m-5.8m)	14'-19' (4.3m-5.8m)	14'-19' (4.3m-5.8m)	19'-25' (5.8m-7.6m)	19'-25' (5.8m-7.6m)	19'-25' (5.8m-7.6m)	25'-31' (7.6m-9.4m)	25'-31' (7.6m-9.4m)	25'-31' (7.6m-9.4m
Boat Size (Staysail)	N/A	N/A	N/A	Up to 34' (10.4m)	Up to 34' (10.4m)	Up to 34' (10.4m)	Up to 41' (12.5m)	Up to 41' (12.5m)	Up to 41' (12.5m)
Max Wire	1/8" (3mm)	1/8" (3mm)	1/8" (3mm)	3/16" (5mm)	3/16" (5mm)	3/16" (5mm)	1/4" (6mm)	1/4" (6mm)	1/4" (6mm)
Pin Dia.	1/4" (6mm)	1/4" (6mm)	1/4" (6mm)	5/16" (8mm)	5/16" (8mm)	5/16" (8mm)	3/8" (10mm)	3/8" (10mm)	3/8" (10mm)
Max. LP	10' 6" (3.2m)	10' 6" (3.2m)	10' 6" (3.2m)	16' (4.9m)	16' (4.9m)	16' (4.9m)	26' (7.9m)	26' (7.9m)	26' (7.9m)
Max. Luff	30' (9.1m)	30' (9.1m)	30' (9.1m)	45' (13.7m)	45' (13.7m)	45' (13.7m)	65' (19.8m)	65' (19.8m)	65' (19.8m)
Line Capacity	N/A (60mm)	11', 5/32" (3.3m, 4mm)	30', 5/32" (9.1m, 4mm)	N/A (100mm)	17', 3/16" (5.2m, 5mm)	35', 3/16" (10.7m, 5mm)	N/A (123mm)	28', 1/4" (8.5m, 6mm)	50', 1/4" (15.2m, 6mm)
L	2 3/8" (25mm)	2 3/8" (60mm)	N/A	4" (38mm)	4" (100mm)	N/A	4 7/8" (45mm)	4 7/8" (123mm)	N/A
w	1" (8mm)	2 3/4" (70mm)	N/A	1 1/2" (10mm)	4 1/8" (103mm)	N/A	1 3/4" (11mm)	51 1/2" (140mm)	N/A
Т	5/16" (364kg)	5/16" (8mm)	N/A	3/8" (818kg)	3/8" (10mm)	N/A	7/16" (1550kg)	7/16" (11mm)	N/A
FreeFurl Load	550 lbs. (250kg)	550 lbs. (250kg)	550 lbs. (250kg)	1000 lbs. (544kg)	1000 lbs. (544kg)	1000 lbs. (544kg)	2200 lbs. (998kg)	2200 lbs. (998kg)	2200 lbs. (998kg)
SWL	800 lbs. (68g)	800 lbs. (364kg)	800 lbs. (364kg)	1800 lbs. (201g)	1800 lbs. (818kg)	1800 lbs. (818kg)	3400 lbs. (345g)	3400 lbs. (1550kg)	3400 lbs. (1550kg)
Weight	2.4 oz.	5.1 oz (145g)	10.8 oz (306g)	7.1 oz.	15.5 oz (439g)	1 lb.12.9 oz (8.19g)	12.1 oz.	27 oz. (766g)	3 lb. 6.3 oz (1.5kg)