



Boarding and Deck Equipment
POWERBOATS

Embark on a journey to enjoy and elevate your boating experience with Båtsystem's high-quality solutions, developed and refined over decades

Your safety and convenience are our top priorities. Whether you're stepping aboard from a dock, a dinghy, or the water itself, our innovative solutions make every boarding experience safe and effortless.

Designed with focus on functionality and quality, offering a wide range of items. These include sturdy ladders, lifting devices, anchor holders, stern and bow platforms and other deck equipment that suits various types of motorboats.

Experience the peace of mind of knowing that you and your loved ones are safe and sound on the water.

Båtsystem | A better boating experience





CONTENT

Introduction	4-5
Ladders	6-15
Bow platforms	16-23
Stern platforms	24-27
Davits and cranes	28-33
Anchoring	34-35
Deck equipment	36-37
Spare parts	38

Disclaimer:

Products shown in this catalogue are designed to be used as accessories for motorboats in the water and are not intended for any other purpose. The user assumes all risks associated with the use of the product, including but not limited to personal injury, property damage, and loss of life. The manufacturer and seller are not responsible for any accidents, injuries, or damages caused by the improper installation, use, or maintenance of the product. The user is responsible for ensuring that the product is installed and used in accordance with all applicable laws and regulations. This product may not be compatible with all motorboats. Please consult the product manual for specific compatibility information. The manufacturer and seller reserve the right to change or discontinue the product at any time without notice.

We have always strived to make the life we love easier

Whether you're planning a short day trip, a coastal holiday, an ocean crossing, or a voyage around the world, Båtsystem has the products you need to get you, your family and your gear safely on and off the boat. We offer equipment for every situation, for all ages - young and old - and even for your pet, dinghy, and outboard engine. Since the late 1980s, our passion has been making boarding easier with ladders, bow and stern platforms, davits, cranes, and other deck equipment. In this catalogue, you'll find helpful guidance and products to enhance your boating experience.



Båtsystem was founded in the late 1980's

Båtsystem was founded in the late 1980s and has grown from a small company into a well-known brand, recognized for its reliable, high-quality products. Today, we export far beyond Scandinavia, reaching Europe and markets worldwide. While much has changed since our early days, our core values remain the same: customer-driven product development and exceptional customer service.



LADDERS

A ladder will get you there

A ladder mounted to your boat is a must, whether you prefer it at the transom, onto a bathing platform or on the side of the boat where the impact of waves is minimal. A ladder on a bowsprit can also come in handy to reach the dock or land from the bow.

Most important is that there is a rescue ladder easily accessible from the water, in case of an unintentional plunge (MOB). But ladders is not only a matter of safety, it's also about convenience, accessibility and the freedom to get on land wherever you like.



GUIDE | STEP-BY-STEP

- 1 Make sure it is long enough**
For maximum safety, have a ladder that reaches minimum 55 cm under the waterline. And for that extra comfort add one more step giving you at least 3 steps under water.
- 2 Comfortable steps**
Both small and large feet can slip when they are wet. Make sure the ladder has footsteps that are comfortable to climb on and provide a safe grip. All of Båtsystem ladders have flat, comfy steps with rifled surface, most of them wide enough to place two feet side by side - safe and comfortable.
- 3 Something to hold on to**
Make sure that the ladder takes you all the way up into the boat. Several of our ladder models have built-in handles that make it easier to board and disembark. The models which do not have it, such as the smooth ladders in casing, can be complemented with removable handles attached to the bowsprit or the platform.



RIB

Ladders specifically designed for RIB boats.



SIDE

When boarding from the side with a RIB as well as from the bridge.



IN CASING

To minimize stowing space.



HOOK

For the bow and the bowsprit.
Easy to hook on and off.



BOW

For quick and easy mounting on bow or pulpit.




SAFETY AND BATHING (MOB)

Accessible all the way from water to deck.

RIB LADDERS



Ladders for RIB that takes you all the way up.



RIB400


RIB500



Art	L (mm)	F (mm)	W (mm)	Tube diameter, boat (mm)	Folding
RIB400	868	375	340	400	Telescopic
RIB500	1160	410	350	500	Telescopic



Hang mounting
Hung on the tube and tightened with safety bands.



Comfortable steps



Hook fittings
The ladder is attached to the hull with hook fitting.




The RIB ladder is resting on the boat's tube and is secured with two straps.



SIDE LADDERS



A sturdy, well-built ladder makes boarding or disembarking from your boat a safe and easy task.



Sturdy handles
For extra good grip.



Foldable
the last step on SL95R and the three last steps on SL150R are foldable.



Hook fittings
Easy to attach and detach.



Padded hull support
Foldable.



Pivoting handles
For better stowing.



Teak steps
Optional



Bag
Optional



SL65R

SL95R

SL150R



Art	L (mm)	W (mm)	D (mm)	c/c mm	Steps
SL65R	630	268	189	265	2
SL95R	950	268	189	265	3
SL150R	1520	280	245	265	6

LADDERS IN CASING - STANDARD




Locking
Smart locking mechanism.



Comfortable steps



Foldable
Folds down under platform or bowsprit.




High handles
Folds with ladder. BKTH-ladders.

Ladders in casing, for bowsprit or bathing platform. The ladder expands in two, three or four steps and is easily locked.




Art	L (mm)	W (mm)	D (mm)	H (mm)	Step	Folding
BKT72-250	600	250	300	65	2 Plastic	Casing/telescope
BKT73-250	880	250	300	65	3 Plastic	Casing/telescope
BKT72	600	285	300	65	2 Plastic	Casing/telescope
BKT73	880	290	300	65	3 Plastic	Casing/telescope
BKT73T	880	290	300	65	3 Teak	Casing/telescope
BKT74	1160	310	320	80	4 Plastic	Casing/telescope
BKT74T	1160	310	320	80	4 Teak	Casing/telescope
BKTH73	880	411	385	75	3 Plastic	Casing/telescope
BKTH74	1200	415	420	75	4 Plastic	Casing/telescope
BKB73	880	340 (box)	490 (box)	50 (box)	3 Plastic	Telescopic in box
BKB74	1160	340 (box)	490 (box)	50 (box)	4 Plastic	Telescopic in box






HOOK LADDERS



Ladders for bowsprits, with sturdy handles. Hook onto the bowsprit or on deck.



Art	L (mm)	W (mm)	D (mm)	c/c mm	Steps	
BU60P	615	180	130	175	2	Aluminium
BU75P	900	220	130	200	3	
BU75P-4	1200	220	130	200	4	Last step telescopic
BU76P-12	1200	230	220	230	4	Last step telescopic
BU80P	900	290	222	265	3	
BU80P-4	1200	290	222	265	4	Last step telescopic
BU80F	900	290	222	140	3	



Sturdy handles
For extra good grip.



Foldable
Last step is telescopic on 4 step ladders.



Hook fittings
Easy to attach and detach.




Safety band
Secures the ladder from falling into the water.



Support
BU80F has support for extra narrow bows.



BOW LADDERS



The ladder can be mounted onto pulpit or deck fitting.



Quick brackets
Easy to attach and detach.



Foldable
Easy to stow.



Stem strut
Adjustable.



Aluminium
Two ladders in lightweight aluminium.



Fitting P1066 for optional mounting.



Keyhole fittings for ST110SN and ST110SNR



Bag
Convenient storing.



Safety band
Secures the ladder from falling into the water.



ST125AL ST130AL ST135 ST110SN ST110SNR

Art	L (mm)	W (mm)	D (mm)	Length folded	Strut (mm)	Steps	Material	Fitting
ST125AL	1240	250-300	-	740	350-1000	4	Aluminium	Hook
ST130AL	1240	350-450	-	740	350-1000	3	Aluminium	Hook
ST135	740	320-450	550	440	100-350	3	AiSi316 steel	Hook
ST110SN	1060	290	210	750	350-1000	3	AiSi316 steel	Keyhole fitting
ST110SNR	1060	290	210	750	350-1000	3	AiSi316 steel	Keyhole fitting



ST130AL is designed to fit a blunt stem, or a boat with stem anchor. The topmost step has been removed, and the upper edge is broadened, to make room for the anchor. The last step is foldable.



Keyhole fitting
Easy to attach and detach.
SN- and SNR-ladders




Pivoting handles
For better stowing.
SNR-ladder

SAFETY AND BATHING (MOB) - TRANSOM MOUNTED


BT72-180, BT72-4




BUT55, BUT55F



BUT40, BUT40R, BUT41, BUT41F



BUT30




Art	L (mm)	W (mm)	C c/c (mm)	D c/c (mm)	Length folded (mm)	Strut (mm)	Steps	Folding
BT72-180	1115	210	90	200	402	70	4	Telescope
BT72-4	1160	300	150	175	370	70	4	Telescope
BUT30	400	225	200	-	400	-	2	Folding
BUT40	590	230	125	360	360	-	4	Telescope/Folding
BUT40R	880	255	90	385	385	-	4	Telescope/Folding
BUT41	875	230	125	360	360	-	5	Telescope/Folding
BUT41F	850	230	125	360	360	-	5	Telescope/Folding
BUT55	1185	210	200	470	550	110	5	Telescope/Folding
BUT55F	1185	210	200	470	550	580	5	Telescope/Folding

SAFETY AND BATHING (MOB) - PLATFORM MOUNTED



Bathing ladder with sturdy grips and universal fittings. Foot friendly steps.



Art	L (mm)	W (mm)	D (mm)	Length folded	Steps	Handle height (mm)	c/c mm	Strut (mm)
BUT45	1300	290	260	453	4	250	255	-
BUT45R	1300	287	238	453	4	250	255	80
BUT47	1420	382	343	554	4	370	350	-
BUT49	1300	382	350	423	4	130	350	-
BT70	880	300	110	-	3	-	-	-
BT115	1160	300	110	-	4	-	-	-
BT145	1450	310	140	-	5	-	-	-


Art	L (mm)	B (mm)	D (mm)	L2(mm)	Steps	Handle height (mm)	c/c mm
BUT50	1955	400	361	1455	6	500	362
BUT60	2523	400	361	2023	8	500	362



Sturdy handles
For extra good grip.



Foldable
Telescopic.



Hole fittings
For easy and quick removal (BUT45R).



Pivoting handles
For better stowing.
(BUT45R)



Fitting
Smooth fittings for
BT-ladders.



BOW PLATFORM

Extend your boating experience

A bowsprit not only enhances the look and quality of your boat. It also helps you achieve a better boating experience. Get ashore on every possible and impossible place, and get easily onboard – even when your legs are too short, or too tired.









GUIDE | STEP-BY-STEP


- 1 Think longterm**
A bow platform is an investment that increases functionality as well as value of your boat. As it is necessary to make an installation with holes in the hull of your beloved motorboat, make sure the type you choose covers both present and future needs. The bow platform will be a part of your boat for a long time ahead. And after you, someone else will take over your boat.
- 2 Study the shape of your bow**
There is a wide range of bow shapes and possibilities of installation. Get inspired by the customer references in Båtsystem webpage how similar challenges has been solved.



EXTENSIONS and STAY MOUNTING ALTERNATIVES



FOR POWERBOAT < 25 FT



Bowsprit designed for powerboats 16-25 feet. Could well be combined with Båtsystems ladders and pulpits, for maximum accessibility and safety.



MP40



MP550BL / MP550 / MP550EVA




MPA550BL / MPA550 / MPA550EVA



Ladder
Ladder in casing or hook ladder as an option.



Teak



Blackline



EVA board



Angled stay
Easy to mount.




Anchor roller
Integrated on MPA550.



Art	L (mm)	B (mm)	Tube (mm)	For boats	Step surface	Fitting ladder	Fitting pulpit
MP40	400	380	25	16'-22'	Blackline	BU60P	-
MP550	550	360	32	18'-25'	Teak	BKT72-250, BKT73-250, BU60P	PP350
MP550BL	550	360	32	18'-25'	Blackline	BKT72-250, BKT73-250, BU60P	PP350
MP550EVA	550	360	32	18'-25'	EVA	BKT72-250, BKT73-250, BU60P	PP350
MPA550	550	360	32	18'-25'	Teak	BU60P	PP350
MPA550BL	550	360	32	18'-25'	Blackline	BU60P	PP350
MPA550EVA	550	360	32	18'-25'	EVA	BU60P	PP350

FOR POWERBOAT 25-55 FT




Bowsprit for powerboats between 25 and 55 feet. Can be mounted over existing anchor roller. Can be combined with Båtsystem's ladders and pulpits for comfort and safety.



Ladder
Ladder in casing or hook ladder as an option.



Teak



Blackline



EVA board



MP750BL / MP750 / MP750EVA



MPA750BL / MPA750 / MPA750EVA



MP900BL / MP900 / MP900EVA



MP1000BL / MP1000 / MP1000EVA



Anchor roller
Integrated in MPA75.




Existing anchor
Designed also for mounting on existing anchor holder.

Art	L (mm)	B (mm)	Tube (mm)	For boats	Step surface	Fitting	Anchor roller	Rec. Anchor	Fitting ladder	Fitting pulpit
MP750	700	480	32	25'-40'	Teak	Universal	-		BKT72, BKT73, BKT73T, BU75P, BU75P-4	PP350
MP750BL	700	480	32	25'-40'	Blackline	Universal	-		BKT72, BKT73, BKT73T, BU75P, BU75P-4	PP350
MP750EVA	700	480	32	25'-40'	EVA	Universal	-		BKT72, BKT73, BKT73T, BU75P, BU75P-4	PP350
MPA750	700	480	32	25'-40'	Teak	Universal	P1301	15 kg	BKT72, BKT73, BKT73T, BU75P, BU75P-4	PP350
MPA750BL	700	480	32	25'-40'	Blackline	Universal	P1301	15 kg	BKT72, BKT73, BKT73T, BU75P, BU75P-4	PP350
MPA750EVA	700	480	32	25'-40'	EVA	Universal	P1301	15 kg	BKT72, BKT73, BKT73T, BU75P, BU75P-4	PP350
MP900	850	440	32	32'-45'	Teak	Universal	-		BKT73, BKT73T, BU80P, BU80P-4	PPK500
MP900BL	850	440	32	32'-45'	Blackline	Universal	-		BKT73, BKT73T, BU80P, BU80P-4	PPK500
MP900EVA	850	440	32	32'-45'	EVA	Universal	-		BKT73, BKT73T, BU80P, BU80P-4	PPK500
MP1000	1150	560	42	40'-55'	Teak	Evolution	-		BKT73, BKT73T, BU80P, BU80P-4	PP350, PPK500
MP1000BL	1150	560	42	40'-55'	Blackline	Evolution	-		BKT73, BKT73T, BU80P, BU80P-4	PP350, PPK500
MP1000EVA	1150	560	42	40'-55'	EVA	Evolution	-		BKT73, BKT73T, BU80P, BU80P-4	PP350, PPK500





COMFORT LADDERS



Welded ladder
For better stability.



Fixed handles
For better grip.



Foldable ladder
Telescopic.

Bowsprits with welded ladders and sturdy grips for better stability.



BUT26MP

BUT48MP

BUT26

BUT48

Art	L (mm)	W (mm)	H (mm)	Handle height	Steps	Products
BUT26MP	550	360	928	100	3	BUT26, MP550 welded
BUT48MB	700	480	1120	350	3	BUT48, MP750 welded
BUT26	218	293 cc	928	100	3	BUT26 for welding
BUT48	350	376 cc	1120	350	3	BUT48 for welding

PULPITS / HANDLES



PULPIT

Art	Width (mm)	Height (mm)	Tube (mm)	Description
PP350	350	500	25	
PP350-1	350	500	25	Small pupit for deck mounting
PPK500	480	500	25	

HANDLE


Art	Width (mm)	Height (mm)	Tube (mm)	Fitting dim (mm)
H250	250	65	25	32
H300	300	65	25	42

EVOLUTION FITTING

Art	Tube (mm)
P1086	32
P1087	42

EXTENSIONS

Art	Tube (mm)	Length (mm)	Width (mm)
P1010	32	50	
P1085	32	50	
P1074	-	150	25
P1091	-	250	30
P1106	32		



ANCHOR ROLLERS



ANCHOR ROLLER

Art	Width (mm)	Height (mm)	Max load	Anchor type
P1301	200	185	15 kg	BRUCE type
P1308	205	200	20 kg	DELTA/ROCNA type
1402	Anchor roller for MP550		10 kg	
P1309	Anchor lock. L=105 mm, B (max) 90 mm.			



STERN PLATFORMS


Get closer to the water

Does the water seem too far away when you are at sea? Do you avoid water activities such as inshore swimming or fishing, because it seems too difficult to drag yourself up afterwards? A stern platform gets you closer to the water, and will get you safely back onboard again - even in a MOB situation! Besides making stern mooring and anchoring easier, it also helps you access your dinghy, or just hanging out watching the sunset.




GUIDE | STEP-BY-STEP

- 1 There is a model for every motorboat**
From more regular straight transoms in different widths to typical rounder sterns like on a classical gig.
- 2 Shape and size of your transom**
Measure the width of your transom approximately 300-400 mm above the waterline. If placed lower, it may drag in the water at higher speed. Make sure you have access and space on the inside of the transom to fit the washer and nut on the bolt.
- 3 Choose a model that suits you and your boat**
A stern platform is there for your convenience and safety. For swimming and bathing as well as a place for a MOB-ladder. For Scandinavian mooring it is also a good place for an anchor roller. See also illustrations on next coming pages.



POWERBOAT



Platforms with flexible fastenings that fit most powerboats. Can be combined with a variety of ladders.



Ladder in casing
As an option.



Ladder
Bathing ladder as an option.




PM3642 PM4550 PM4580 PM19050 PM2606030 PM1803530 PMR20045

Art	B (mm)	H (mm)	Tube (mm)	Step surface	Recommended ladders
PM3642	450	360	25	Teak	BT70
PM4550	500	450	25	Teak	BT70, BT115, BT145
PM4580	800	450	25	Teak	BT70, BT115, BT145, BKT73, BKT73T, BKT74, BKT74T
PM19050	1900	500	25	Teak	BKT73, BKT73T, BKTH73, BKT74, BKT74T, BKTH74, BUT45, BUT47
PM2606030	1750-2600	500	32	Teak Adjustable width	BKT73, BKT73T, BKTH73, BKT74, BKT74T, BKTH74, BUT45, BUT47
PM1803530	1780	450	32	Teak	BKT73, BKT73T, BKT74, BKT74T, BUT45
PMR20045	2000	420	32	Teak	BKT73, BKT73T, BKT74, BKT74T, BUT45, BUT47



GIG




Two-piece platforms for gigs. The platform is secured by adjustable support-stanchions upwards and has flexible fastenings.



Struts upwards
For better stability.



Ladder
Combine with ladder.
Mount with swivel fittings.



PS55 PS65 BUT75 BUT100 BUT125

Art	B (mm)	H1 (mm)	H2 (mm)	Tube (mm)	Step surface	For boats
PS55	530	430	950	25	Teak	22'-28'
PS65	650	470	950	32	Teak	26'-34'

Art	T (mm)	L1 (mm)	L2 (mm)	B (mm)	G (mm)	S (mm)	Steps
BUT75	1530	750	780	280	200	150-300	6
BUT100	1884	1000	884	335	250	150-300	7
BUT125	2034	1200	834	335	270	150-300	8





DAVITS AND CRANES

Dinghy in good company

Do not let your dinghy weigh you down, or hang loosely in long dangling ropes. With a flexible and reliable davit you keep the dinghy off the boat, and still tightly attached while driving the boat. The smart construction minimizes the total length of your motorboat and doesn't make it tail-heavy. Complement with a bathing platform, and embarking/disembarking will be a piece of cake.

The design does not need any reinforcement of the transom so often necessary with fixed davits: Båtsystem davit only knows pulling and pushing forces, but no torque!

And best of all: the davits are quickly removed by simply pulling a singly bolt, easily reducing the overall length of your boat to your original deck length. Handy and important when negotiating the price for your home berth!




GUIDE | STEP-BY-STEP

- 1 Maximum flexibility for installation!**
Båtsystem Davits come in three sizes and can hold 50kg, 100kg or 150kg per arm. In extreme situations, however, consider that the full weight of your dinghy including fuel, equipment and outboard engine might hang on one arm only, so your total weight should be able to be held by one arm only.

The models also differ in length, so check how far aft of your transom you wish to pick up your dinghy and how high up you wish it to hang. The davit fittings can be placed vertically on your transom or even horizontally on your deck.

- 2 Align the davit arm position with the dinghy's lifting eyes**
To optimize lifting efficiency and minimize stress on your boat, position the davits on your transom so that the lifting path is as vertical as possible.

- 3 In harmony with your boat**
For a harmonious and balanced look, it's essential to select davits that are proportionate to your boat and dinghy. Oversized or undersized davits can detract from your vessel's overall appeal.




Båtsystem davits are engineered to eliminate torque on your transom

The unique design ensures a pure push against the transom and a pull through the block and line, reducing the risk of cracks or damage, especially when lifting or driving with a heavy, waterlogged dinghy. The design does not need any reinforcement of the transom so often necessary with fixed davits.



DAVITS



Sturdy, flexible and reliable davit. Easy to mount and dismount and can be retrofitted with no need for reinforcements of your boat's transom. The davits are available with two different stern fittings, one for a straight stern and one for an angled or rounded stern. The smart design uses only pulling and pushing forces, allowing the davit to move both vertically and horizontally, which optimizes the centre of gravity and keeps the dinghy off the boat.

Manufactured in stainless AiSI 316 steel, polished to a high gloss finish. Sets of blocks and ropes are included in the davit kits.



Straight fitting
For straight stern.



Angled fitting
5, 10 or 15 degrees. For rounded stern.



Disassembly
Through bolt for easy removal.



Set of blocks
Included in the kits.



DV25 DV32 DV42

Art	L (mm)	A (mm)	Fitting (mm)	Max load/davit (kg)	Kit
DV25	1300	750	200x120	50	
DV25-1	1300	750	200x120, angled (5°, 10°, 15°)	50	
DV25 KIT	1300	750	200x120	50	2 x DV25, DV-block
DV25-1 KIT	1300	750	200x120, angled (5°, 10°, 15°)	50	2 x DV25-1, DV-block
DV32	1530	875	260x160	100	
DV32-1	1530	875	260x160, angled (5°, 10°, 15°)	100	
DV32 KIT	1530	875	260x160	100	2 x DV32, DV-block
DV32-1 KIT	1530	875	260x160, angled (5°, 10°, 15°)	100	2 x DV32-1, DV-block
DV42	1740	993	307x160	150	
DV42-1	1740	993	307x160, angled (5°, 10°, 15°)	150	
DV42 KIT	1740	993	307x160	150	2 x DV42, DV-block
DV42-1 KIT	1740	993	307x160, angled (5°, 10°, 15°)	150	2 x DV42-1, DV-block



ACCESSORIES

P1112, P1121,
P1122



P1110, P1125,
P1126



DV-block



DV-42block



Art	Description
P1112	Straight fitting 90°. For DV25
P1110	Angled fitting 5°, 10°, 15°. For DV25
P1121	Straight fitting 90°. For DV32
P1125	Angled fitting 5°, 10°, 15°. For DV32
P1122	Straight fitting 90°. For DV42
P1126	Angled fitting 5°, 10°, 15°. For DV42
DV-block	Accessories for 1 davit arm. Cordage, Seldén mainsheet block (4-cut)
DV-42block	Accessories for 1 davit arm. Cordage, Seldén mainsheet block (6-cut)




More mounting options in our gallery
at www.boatsystemgroup.com

CRANE



A smart crane for mounting on deck and in the pushpit. Easy to mount on and take off. The crane can lift 50 kg and is suitable to hoist up the outboard or for loading.



Pulpit not included



Block fitting
Fitting for block winch.



Pulpit fitting
For stability.



Rod coupling
Easy to mount on and off the crane.



Art	Description	L (mm)	L1 (mm)	L2 (mm)	B (mm)	Max load	Tube
Crane 42	Crane with blocks	1750	950	800	550	50 kg	Ø42mm




ANCHORING

Smoother bow-to mooring

Imagine sliding into the harbour, easily manoeuvring your boat while you have full control over your stern-anchor. An anchor in a ready-to-go position make your boat life so much easier when mooring bow-to.

A windlass system makes it easy to launch the stern-anchor, even under the hardest circumstances. When leaving the harbour, you just push the button, let the windlass drag your boat out to the anchor and hoist it up easily.



Another application for a stern anchor is to point your bow into the swell when anchoring with your bow anchor. You may forget roly nights at anchor by simply using your stern anchor as a kedge.



GUIDE | STEP-BY-STEP

- 1 Simplify your boat life with a secure stern anchor stowage solution**
Our range of models fits various transoms and windlasses.
- 2 Looking for the ideal solution for your boat's anchor setup?**
Leverage our expertise and extensive library of customer projects. We'll find the perfect installation for your specific boat.
- 3 Properly stowing your anchor on your motorboat is crucial for safety and optimal performance**
Secure loose items and protect your equipment from the elements. Be ready for your next adventure.

ANCHOR HOLDERS & ANCHOR DAVITS



Art.	Length (mm)	Width (mm)	Fitting (mm)	Max load (kg)	Function
1300	450	80	280x80	15	
1325	680	80	530x80	15	
1326	400	145	80x335	15	Folded
1402	200	80	99x80 c/c	10	Fits HP65, MP550
1400K	410	80	170x80 c/c	15	
1400	510	80	125x80 c/c	15	
1405	525	-	120x150, tiltable	15	
1410	726	-	120x200, tiltable	20	
1410-1	726	-	120x200, tiltable	20	Tilted fitting
1420	726	-	120x200, tiltable	20	Strut, anchor locking
1420-1	726	-	120x200, tiltable	20	Strut, anchor locking, tilted fitting
P1116	-	-	-	-	Anchor tilt (1400, 1400K, 1405, 1410, 1410-1, 1420, 1420-1)
P1110	-	-	120 x 200	-	Tilted fitting (5°, 10°, 15°)
P1303	130	85	-	-	Anchor roller



DECK EQUIPMENT

Enhance your boating experience with our selection of boarding accessories

From sturdy grab rails to non-slip steps, we have everything you need to board your boat safely and easily.



BOLLARDS

Art	Height (mm)	Diameter (mm)	Foot (mm)	Bolt	Description
BP50095	95	Ø50	91x91	M6	
BP70145	145	Ø70	120x140	M8	
BP80200	200	Ø76	125x200	M12	
BPL80200	200	Ø76	125x200	M12	6 LED, 12V, 6x0,15W



FOOTSTEPS


F2890, F2820, F2840, 160W



Art	Description
F2890	Footstep 90°, c/c 28 cm
F2820	Footstep 20°, c/c 28 cm
F2840	Footstep 40°, c/c 28 cm
160W	Teakstep (for footstep)

CLEATS

Art	H (mm)	B (mm)	Foot (mm)	Bolt	C/C mm	Description
P145	43	145	90x31	M8	50	Cleat
P200	54	200	120x35	M10	69	Cleat
P285	80	285	160x40	M12	100	Cleat
PB285	-	-	160x40	M12	100	Plate




HANDLES

H250




Art	Width (mm)	Height (mm)	Tube (mm)	Fitting dim (mm)
H250	250	65	25	32
H300	300	65	25	42



































































MODULAR GRAB RAILS



Art	H (mm)	L (mm)	Foot (mm)	Tube (mm)	Material
GRB-CF	60	-	Ø50	Ø25	Stainless steel
GRB-CF-T	60	-	Ø50	Ø25	Stainless steel
GRB-CF-E	-	-	Ø50	Ø25	Stainless steel
CF-TUBE-125	-	125	-	Ø25	Carbon fibre
CF-TUBE-250	-	250	-	Ø25	Carbon fibre
CF-TUBE-500	-	500	-	Ø25	Carbon fibre



FITTINGS AND SPARE PARTS

<p>P1086</p>  <p>Bowsprit fitting, Ø32 mm</p>	<p>P1087</p>  <p>Bowsprit fitting, Ø42 mm</p>	<p>P1001</p>  <p>Bowsprit fitting, Ø42 mm</p>	<p>P1000</p>  <p>Bowsprit fitting, Ø42 mm</p>	<p>P1108</p>  <p>Bowsprit fitting for HP65</p>	<p>P1028</p>  <p>U-fitting, Ø32 mm</p>	<p>P1069</p>  <p>T-fitting, Ø55 mm</p>	<p>P1092</p>  <p>Gasket, universal fitting</p>	<p>P1066</p>  <p>Stainless tubeclip Ø25 mm with eyebolt</p>	<p>P1076</p>  <p>Stainless tubeclip, Ø25 mm</p>
<p>P1002</p>  <p>U-fitting, Ø25 mm</p>	<p>P1065</p>  <p>U-fitting, Ø25 mm, M8</p>	<p>P1004</p>  <p>U-fitting, Ø25 mm, M6</p>	<p>P1003</p>  <p>U-fitting, Ø22 mm</p>	<p>P1014</p>  <p>Universal fitting, Ø70 mm</p>	<p>P1068</p>  <p>Universal fitting, Ø62 mm</p>	<p>P1013</p>  <p>Keyhole fitting, Ø70 mm</p>	<p>P1041</p>  <p>Eyebolt, M8x50 mm</p>	<p>P1109</p>  <p>Eyebolt, M8x35 mm</p>	<p>P1036</p>  <p>Knob for stem ladder</p>
<p>P1071</p>  <p>Keyhole fitting, Ø62 mm</p>	<p>P1072</p>  <p>Keyhole fitting, Ø50 mm</p>	<p>P1059</p>  <p>Hook fitting for BU76P-12</p>	<p>P1008</p>  <p>Hook fitting for ladder</p>	<p>P1124</p>  <p>Hook fitting for ladder</p>	<p>P1009</p>  <p>Hook fitting for ladder</p>	<p>P1063</p>  <p>Washer: Ø 17,5 mm, Ø6 mm</p>	<p>P1045</p>  <p>Strut, bow ladder</p>	<p>P1025</p>  <p>Strut, bow ladder</p>	<p>P1101</p>  <p>Support for 1420 strut</p>
<p>P1011</p>  <p>Washer, Ø55 mm</p>	<p>P1012</p>  <p>Washer, 5°, Ø54 mm</p>	<p>P1119</p>  <p>Washer, 5° for P1014</p>	<p>P1048</p>  <p>Plastic washer, Ø25 mm</p>	<p>P1049</p>  <p>Plastic washer, Ø35 mm</p>	<p>P1016</p>  <p>End fitting, Ø25 mm, plastic</p>	<p>P1031</p>  <p>End fitting, Ø18,8 mm, plastic</p>	<p>P1070</p>  <p>Roll for P1301</p>	<p>P1306</p>  <p>Roll, Ø150 mm</p>	<p>P1103</p>  <p>Locking hook for 1420</p>
<p>P1019</p>  <p>End fitting, Ø42 mm, plastic</p>	<p>P1018</p>  <p>End fitting, Ø32 mm, plastic</p>	<p>P1058</p>  <p>End fitting, 25 mm, plastic</p>	<p>P1017</p>  <p>Adjustment plug for ST-ladders</p>	<p>P1033</p>  <p>Swivel, Ø25-Ø32 mm</p>	<p>P1027</p>  <p>Swivel, Ø25-Ø25 mm</p>	<p>P1030</p>  <p>Swivel, Ø32-Ø32 mm</p>	<p>P1074</p>  <p>Universal stay for MP750. Holes Ø10 mm. 150x25 mm</p>	<p>P1302</p>  <p>Bolt for anchor roller</p>	
<p>P1097</p>  <p>Tube clip, Ø25 mm</p>	<p>P1098</p>  <p>Tube clip, Ø32 mm</p>	<p>P1100</p>  <p>Tube clip, Ø38 mm</p>	<p>P1046</p>  <p>Tube clip, Ø38 mm</p>	<p>P1039</p>  <p>Tube clip, Ø32 mm</p>	<p>P1038</p>  <p>Tube clip, Ø25 mm</p>	<p>P1073</p>  <p>Tube clip, Ø22 mm</p>	<p>P1091</p>  <p>Universal stay for MP1000. Holes Ø10 mm. 290x30 mm</p>	<p>P1022</p>  <p>Strut for platform, 750 mm</p>	
<p>P1029</p>  <p>Bracket, Ø25 mm</p>	<p>P1006</p>  <p>Tube clip, Ø32 mm</p>	<p>P1005</p>  <p>Tube clip, Ø25 mm</p>	<p>P1010</p>  <p>Extension 50 mm, Ø32 mm</p>	<p>P1085</p>  <p>Extension 30°, Ø32 mm</p>	<p>P1106</p>  <p>Extension 45°, Ø32 mm</p>	<p>P1104</p>  <p>Upper roll for P1301</p>	<p>P1107</p>  <p>Axis for 1300, 1325</p>	<p>P1115</p>  <p>Axis for P1301</p>	

More fittings and spare parts can be found on our website.



Båtsystem is a part of BSG
www.boatsystemgroup.com